



## Mini – Top Hammer R11000



[www.piling-equipment-ltd.com](http://www.piling-equipment-ltd.com)

[www.foundationforum.co.uk](http://www.foundationforum.co.uk)

[www.pilingequipmentltd.co.uk](http://www.pilingequipmentltd.co.uk)

Tel: 07885379866

[Info@piling-equipment-ltd.com](mailto:Info@piling-equipment-ltd.com)

- Restricted access, restricted headroom capability.
- High capacity hydraulics
- Power-full motor gearbox combinations with through bore facility
- Two hydraulic stabilisers as standard
- Rubber tracks for less footprint damage
- Mass tilts fore and aft and side-to-side
- Range of drive adaptors to suit existing auger strings
- Remote power-pack
- Trip wires and or cages

- Working Height 2100/2270
- Transport Height 1700mm
- Minwidth 720mm
- Max width 1020mm
- Length 1800mm
- Weight 2100Kgs
- Mast Length 2100mm
- Feed stroke 1400mm
- Recommended auger length 1000mm
- Rotary head speed 23,47,48,92
- Max torque 11000Nm
- Tear out force on feed chain 5000Kgs
- Mast Angle -5 +90
- Track width adjustment Hydraulic
- Mast height adjustment Hydraulic
- Power-pack 47 Kw (59 Hp)
- Road towable Power-pack weight 1250 Kgs
- Power-pack width 1400mm
- Power pack height 1400mm
- Power-pack length 2800mm

This **mini piling machine** was designed and made in the UK, combining reliable construction with outstanding features. This rig is ideal for restricted access scenarios with no compromise on functionality.



Additional **MINI RIGS** capabilities:

- Additional umbilical hoses
- Augers
- Drive Subs
- Mast extension
- Electric throttle operation – On demand
- Electric motor powered-pack
- Hydraulic Casing clamps
- Trip wires, palm switches and or cages